

PAGE: 1

RAW SEQUENCE LISTING  
PATENT APPLICATION US/09/559,013

DATE: 05/10/2000

TIME: 18:33:23

Input Set: I559013.RAW

This Raw Listing contains the General  
Information Section and those Sequences  
containing ERRORS.

1 <110> Ono, Toshiro  
2 Nakayama, Eiichi  
3 <120> CANCER ASSOCIATED ANTIGENS AND USES  
4 THEREFOR  
5 <130> L0461/7086  
6 <150> US 60/168,353  
7 <151> 1999-12-01  
8 <160> 32  
9 <170> FastSEQ for Windows Version 3.0

Does Not Comply  
Corrected Diskette Needed

## ERRORED SEQUENCES FOLLOW

---

	10	<210> 21	
!-->	11	<211> <i>mandatory response needed</i>	
	12	<212> DNA	
	13	<213> Mus musculus	
	14	<400> 21	
	15	gtggacaaga ggaagcaca	20

---

	16	<210> 22	
!-->	17	<211> <i>mandatory response needed</i>	
	18	<212> DNA	
	19	<213> Mus musculus	
	20	<400> 22	
	21	tgaaaagtaa gggctgtcat	20

FYI

Please review the  
Sequence Listing to ensure that a corresponding explanation is presented in the <220> to  
<223> fields of each sequence which presents at least one n or Xaa.

PAGE: 2

VERIFICATION SUMMARY  
PATENT APPLICATION US/09/559,013

DATE: 05/10/2000  
TIME: 18:33:23

Input Set: I559013.RAW

Line	Error/Warning	Original Text
11	E Input 0, Calc# Bases 20 differ	<211>
17	E Input 0, Calc# Bases 20 differ	<211>

**Attachment for PTO-948 (Rev. 03/01, or earlier)**  
**6/18/01**

**The below text replaces the pre-printed text under the heading, "Information on How to Effect Drawing Changes," on the back of the PTO-948 (Rev. 03/01, or earlier) form.**

**INFORMATION ON HOW TO EFFECT DRAWING CHANGES**

**1. Correction of Informalities -- 37 CFR 1.85**

New corrected drawings must be filed with the changes incorporated therein. Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings **MUST** be filed within the **THREE MONTH** shortened statutory period set for reply in the Notice of Allowability. Extensions of time may **NOT** be obtained under the provisions of 37 CFR 1.136(a) or (b) for filing the corrected drawings after the mailing of a Notice of Allowability. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

**2. Corrections other than Informalities Noted by Draftsperson on form PTO-948.**

All changes to the drawings, other than informalities noted by the Draftsperson, **MUST** be made in the same manner as above except that, normally, a highlighted (preferably red ink) sketch of the changes to be incorporated into the new drawings **MUST** be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.


**Timing of Corrections**

Applicant is required to submit the drawing corrections within the time period set in the attached Office communication. See 37 CFR 1.85(a).

Failure to take corrective action within the set period will result in **ABANDONMENT** of the application.

# **RAW SEQUENCE LISTING** **ERROR REPORT**

BIOTECHNOLOGY  
SYSTEMS  
BRANCH



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following CRF diskette:

Application Serial Number: 09/559,013  
Art Unit / Team No.: DIRK  
Date Processed by STIC: 5/10/2000

**THE ATTACHED PRINTOUT EXPLAINS THE ERRORS DETECTED.**

**PLEASE BE SURE TO FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:**

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANTS ALONG WITH A NOTICE TO COMPLY or,**
- 2) CALLING APPLICANTS AND FAXING THEM A COPY OF THE PRINTOUT WITH A NOTICE TO COMPLY**

**THIS WILL INSURE THAT THE NEXT SUBMISSION RECEIVED FROM THE WILL BE ERROR FREE.**

**IF YOU HAVE ANY FURTHER QUESTIONS, PLEASE CALL:**

**MARK SPENCER 703-308-4212**